



**101020063**

**SEED DEVELOPMENT LIMITED**

**Buy Now**



**Looking for a discount?**

**[Check out our current promotions!](#)**

**Give us a call**

**1-855-837-4225**

International: 1-415-281-3866

## Email Us

Sales and New Orders: [sales@verical.com](mailto:sales@verical.com)

Order Support: [support@verical.com](mailto:support@verical.com)

Suppliers: [Visit our seller page](#)

## Company Address

Arrow Electronics, Inc  
9201 East Dry Creek Road  
Centennial, CO 80112

This coversheet was created by Verical, a division of Arrow Electronics, Inc. ("Verical"). The attached document was created by the part supplier, not Verical, and is provided strictly 'as is.' Verical, its subsidiaries, affiliates, employees, and agents make no representations or warranties regarding the attached document and disclaim any liability for the consequences of relying on the information therein. All referenced brands, product names, service names, and trademarks are the property of their respective owners.



## Grove - Loudness Sensor

SKU 101020063



1 Review

Grove compatible interface Wide supply voltage range Built-in signal filtering

- 1 + CN Warehouse

[Add to Cart](#)

- Tags:
- arduino
  - environment
  - linkit one
  - galleo
  - loudness
  - Grove
  - sound
  - IoT
  - Sensor
  - detect
  - noise

**Description** Documents Learn Reviews FAQs

The Grove - Loudness Sensor is designed to detect the loudness of environmental sound. Based on amplifier LM2904 and a built-in microphone, it amplifies and filters the high frequency signal that received from the microphone, and outputs a positive envelop. This will make for Arduino's signal acquisition. The output value depends on the level of sound input. In order to avoid unnecessary signal disturbances, input signal will go through two times filtering inside the module. Lastly, there is a screw potentiometer that enables manual adjustments to the output gain.

**Features**

- Grove compatible interface
- Wide supply voltage range
- Built-in signal filtering
- Gain adjustable via screw potentiometer

For all Grove users (especially beginners), we provide you guidance PDF documents. Please download and read through [Preface - Getting Started](#) and [Introduction to Grove](#) before your using of the product.

**Technical details**

Dimensions	24mm x20mm x9.8mm
Weight	G.W 9g
Battery	Exclude
Voltage	3.5-10 VDC
Working Frequency	50-2000 Hz
Sensitivity	-48-66 dB
Signal-to-noise Ratio	>58 dB
Output Signal range	Analog Signal (0-1023)

**Part List**

Grove - Loudness Sensor	1
-------------------------	---

**ECCN/HTS**

ECCN	EAR99
HSCODE	9031900090
USHSCODE	8531800050
UPC	841454108023
ROHS	1

**Company**

- Official Website
- About Seeed
- Solution
- Distributors
- Careers
- Contacts

**Help Center**

- How to Get Help
- FAQ
- Technical Support
- Shipping & Order
- Warranty & Returns
- Payment Information

**Community**

- Project Hub
- Forum
- Blog
- Wiki

**Stay Tuned**

Enter Email Address



